


APPENDIX A- MAPS and FIGURES



FEMA Region 1Environmental Assessment South End Community Center, Springfield, MA Appendix A: Figure A-1 Topographic Map

Project Area of Potential Effect






FEMA Region 1 Environmental Assessment: South End Community Center, Springfield, MA Appendix A, Figure A-3 Project Location Maps and Project Drawings from Weston and Sampson

> LOCATION MAP SCALE: 1"=1000"

Traffic Impact and Access Study South End Community Center City of Springfield, Massachusetts





| - TANGAR | | | | | 1 20 | ROR | 1 | | | | | and a start | | | | | | | | No N | - All | | | | | | | AGT ALL ALL ALL ALL ALL ALL ALL ALL ALL AL |
|-------------------------------|------------|------|-----|-----------------------|-----------------------------------|---------------------------|-----------------------|---|-------------------------------|------------------------------------|----|-------------|------------|--------------------|------------------------------|--------------------------|-----------------------|-----------------------------|----------------------|--|---------|------------------------|---------------------------------|--------------------------|-----------------------|-----|-------------|--|
| EDENTIFI- CATION NUMBER | TEXT | WOTH | _ | coupe costs | WAMBER OF SIGAS RDOUARED | 107.WL ANSA 80, PT, | POST ALLE REQUIRED | 1 | EXENTIFI- CATION HUMDER | TEXT | _ | NE. GLO | | SLOP OF | MILER DF MRO IN/R2D | IDIAL ARGA IQ. FT. | POST 8426 #0319#50 | DEMTRI- CATION HUMBER | TEST | | EL SIZE | 00400 | NUMBER DF BOAR PROJECT | 101M. AREA 90,177, | POST SIZE REQUIRED | 1 | 10 | RET AND MARKE STREET REAGANY AMPROPARIES FOR & PAVEMENT MARKING PLANS STREET STA 7+20 TO 12+22 STREET STA 7+20 TO 12+22 STREET STA 7+20 TO 12+22 STREET STA 7+20 TO 12+22 |
| 05-1 (783) | MORRIS ST | ver | 12" | NH-FTE ON CRUEN | х | ENO1 | 1-5 | | 854 | (STOP | 37 | 10 | w | ere | - | 9,75 | PS | 82-53 | intent svi svi | u | 11* | RED ON NHEE | , | 2 | 75 | | NUC NORICE | MARKINI 7+20 |
| 1945) 1945) | DALE ST | ya.e | 12" | UNITS CM CREEN | 1 | EACH | 1-5 | | R-1PI | 1 tr | 42 | - 10 | W | 910 251 WIFE | 1 | 0 | 25 | R15-05 | (144) (144) | u, | 15' | NED QNI NHATE | × | 3 | 15 | | MONISTIC, N | VEMENT VEMENT ET STA |
| 10+8 (P66) | ASHMUN ST | wik | 12* | UPHTH ON CREEN | 2 | EACH | P-5 | 1 | R1-1841 | 12=2[= [= | 12 | 14 | - 070 W | una 24 wrt | 1 | 3 | 15 | 89-161 | (of each | 36' | 12* | BLACK ON INTE | | | .15 | | 10 A.U | L & PAN N STREE |
| 00-4 (FRE) | CENTRAL ST | WAR | e. | WHITE DN OREEH | 1 | EACH | |] | R2-320 | 10000 100000 100000 10000 | v | | r O | CD DA WITE | 1 | 1.5 | P5 | P8-1171 | CHEAR | w | 12' | BLACK DM NH 4710 | , | | 14 | | | SIGNAL SIGNAL ASHMUN MORLOW |
| | | | | | | - | | 1 | | | | | | | | | | | | | | 9FD | | | | 1 1 | | 3 |

| ODATES- CATION | | PANE | 1.0405 | COLDE | C.F | NOTAL AREA | 2067-848 | |
|-------------------|------------|------|------------|-----------------------|-------------------|------------|----------|--|
| N.MORT | TEXT | WERH | HEALHT | COM5, | SIGNS RDOURRED | 80, PT, | REQUIPED | |
| 95-1 (P104 | MORRIS ST | we | 12" | NHITE ON CRITEN | х | 561 | P-5 | |
| 00-3 (PRS) | DALE ST | VAR. | 12" | UNITS ON CREEN | 1 | EADL | P-5 | |
| 00-8 (1966) | ASHMUN ST | wik | 17 | NHITH ON CREEN | 2 | EACH | P-3 | |
| 004 (PME) | CENTRAL ST | WAR | <i>s</i> . | UNHTE DN CREEH | 1 | DACH | | |
| D9-5 (7984 | ADAMS ST | WAR | <u>s</u> | WHITE DN DRIEN | 1 | BACH | 14 | |

| CENTIFI- CATION | | PANE | 1.64/E | EDLOR. | | TOTAL AREA | POST 5425 |
|--------------------|-------------------------------------|------|--------|-----------------------|-------------------|------------|-----------|
| N.MOLS | TEXT | WOTH | FEICH7 | COM | SIGNS REDAIRED | 89, PT. | #009##50 |
| R54 | (STOP | 37' | 10 | UN RED | 3 | 9,75 | PS |
| R2-104 | 1 x x 1 | æ | 10* | NED ON WHITE | 1 | • | P0 |
| R7-1861 | | w | 112 | GPIERS GR WHITE | t | з | 75 |
| R2-020 | 10000 100000 100000 100000 | v | 11* | PED ON INVITE | 1 | 1.5 | P5 |
| R54 | | | 11* | PED ON NHEEP | 8 | 1.5 | P5 |

| CATICA | | 19446 | 1.9420 | .001.08 | | AREA. | PORT SIZE FEQUINED | |
|----------|----------------------|-------|--------|----------------------|------------------|----------|-----------------------|--|
| A.MOCR | TENT | WOTH | HEIGHT | COMO, | BCAIL RECURSE | 59,77, | | |
| R2=63 | 142 | w | 10* | RED GN RHITE | , | <u>0</u> | P5 | |
| 81-(8) | Patient B Land | u* | 15" | NED ON RHATE | x | 3 | 15 | |
| Re-163 | Oten | 557 | 12* | BLACK ON INTER | * | Π | 19 | |
| RS-101 | CMI ANT | SF. | 12" | BLACK ON NEHTE | 3 | \$ | 25 | |
| R7-2816P | 1996-andres | 97 | | RED ON WHETE | , | 0,5 | 15 | |


TO SEE PROFIMENT INVESTIGATION AND SIGN PLAN FOR SIGN LOCATIONS.


2. HOM INTERNETY REFLECTIVE INTERNET IN ALL HE LISTED FOR ALL SEAR


- BRECT ALL BORE IN ACCERCISION WITH THE LATERT WARAAL ON LAUTERM TRAVIEC CONTROL ODIVIDED, AND WARAFRED THATANAARD DRAMMEDE FOR SIGNAL AND SUFFICIENCY, ON TEO 1988

95% SUBMISSION

SPH-2 SHEET 13 of 24









FEMA Region 1Environmental Assessment South End Community Center, Springfield, MA Appendix A: Figure A-6 National Cooperative Soil Survey Map

| | 8 |
|----|----|
| | ×. |
| | ч. |
| ۴. | Б. |
| G, | - |
| 78 | Ξ. |
| 8 | 8. |
| Ā. | Ξ. |
| ¥. | Ε. |
| 2 | |
| 8 | Σ. |
| Z | 9 |
| 8 | З. |
| 8 | ₹. |
| 2 | α. |
| 2 | Ω. |
| ぞ. | 8. |
| 2 | а, |
| õ. | ÷. |
| 5 | 5 |
| 1 | 2 |
| E | ÷. |
| ā. | ٥. |
| Ť | |
| 4 | х. |
| 5 | Ζ. |
| | ٩. |
| 8 | €. |
| | Ξ. |
| | 5 |
| | Ь. |
| | |

| Area of interest (ACI) E Spot Area Area of Interest (ACO) E Skry Spot Sola Ded Map Unit Polygon (2) Very Spot Area Ded Map Unit Polygon (2) Very Spot Area Ded Map Unit Polygon (2) Very Spot E Ded Map Unit Poly E Ded Map Unit P | The sell surveys that comprise your AOI were mapped at 1 25,000. |
|---|--|
| A Property of the second secon | i i i i i i i i i i i i i i i i i i i |
| 8 6 4 4 4 4 | |
| 1 P 49 8 | Warring, Soil Map may not be valid at this scale, |
| New Contraction of the second | |
| 4 | International and a state of the detail of mapping and accuracy of and line extensions of the more do not done the conditioned accuracy of and line |
| | sols that could have been shown at a more detailed scale. |
| | |
| Special Point Features | Please rely on the bar scale on each map sheet for map |
| Bowood Walke Point re- | |
| 10 Bustow PB | inden Souther of Marc: Natural Researches Comerciation Service |
| | |
| M Cary Spot | - 5 |
| Creed Dependion - Interest Histories | Manu from the Math St |
| | |
| | distances and a rea. A projection that preserves a rea, auch as the |
| A canvery spot | Albers e qual-area corricprojection, should be used if more a country |
| Q landa Local Read | calculations of distances or area are required. |
| A law flow Back control | This product is generated from the USD ANIROS and led debase of |
| Much or swarp | the version deterior listed before. |
| and the set of matter | Sol Survey Areas |
| | Survey Area Dista: Version 9, Sep 28, 2015 |
| Minordianseeus Viellen | Soil map units a relationed (as space allows) for map scales 1:50,000 |
| Preserved Views | or larger. |
| V Rok Onkep | Duty (s) sortal images were photographs d. Aug 25, 2013—Sep 9. |
| + Subin Spot | 2013 |
| | The attraction or other takes map on which the soil lines were |
| Samely Speci | complied and digited protectly different the background |
| Bevarely Excled 0 pdt | imagery displayed on these maps. As a result, some mixer shifting |
| Q Steaded a | o fimap un filo und anos may be an dart. |
| | |
| | |
| interest about | |

WebSof Survey NationalCooperative Sof Survey



Ustos Natural Resources Conservation Service

Map Unit Legend

| Hampden County, Massachusetts, Central Part (MA607) | | | | | | | | |
|---|---------------|--------------|----------------|--|--|--|--|--|
| Map Unit Symbol | Map Unit Name | Acres in AOI | Percent of AOI | | | | | |
| 802 | Urben land | 0.5 | 100.0% | | | | | |
| Totals for Area of Interest | | 0.5 | 100.0% | | | | | |

APPENDIX B: SITE PHOTOGRAPHS



Figure 1: Contemporary View of Wight Park, Entrance Looking Southeast



Figure 2: Contemporary view of Wight Park, looking due east



Figure 3: Contemporary view of Wight Park, looking northeast



Figure 4: Contemporary view of Wight Park, looking northeast



Figure 5: Contemporary view of Wight Park, looking southeast



Figure 6: Contemporary view of Dwight Street from Wight Park, looking southeast



Figure 7: Contemporary view of Wight Park, entrance, looking north down Dwight St



Figure 8: Contemporary view of Wight Park, entrance, looking northeast down Marble St.




Figure 9: Contemporary view of Wight Park, entrance, looking northeast down Marble St.



Figure 10: Contemporary view of Wight Park, entrance, looking northwest down Marble St.



Figure 11: Contemporary view of Wight Park, entrance, looking west down Marble St.



Figure 12: Historic view of Wight Park (date unknown)




Figure 13: View northeast down Wendell Place toward Emerson Wight Park (c.1983)



Figure 14: View down Rutledge Ave toward Emerson Wight Park (c.1983)

U.S. Fish & Wildlife Service

South End Community Center, Marble St., Springfield, MA

IPaC Trust Resource Report

Generated December 14, 2015 04:11 PM MST

This report is for informational purposes only and should not be used for planning or analyzing project-level impacts. For projects that require FWS review, please return to this project on the IPaC website and request an official species list from the Regulatory Documents page.



US Fish & Wildlife Service IPaC Trust Resource Report



Project Description

NAME

South End Community Center, Marble St., Springfield, MA

PROJECT CODE MP677-OXJ4V-DZBKK-Z24KY-5V25TE

LOCATION

Hampden County, Massachusetts

DESCRIPTION

A two-story 26,000 square foot facility with 92 parking spaces located near the intersection of Marble Street and Dwight Street Extension.



U.S. Fish & Wildlife Contact Information

Species in this report are managed by:

New England Ecological Services Field Office

70 Commercial Street, Suite 300 Concord, NH 03301-5094 (603) 223-2541

Endangered Species

Proposed, candidate, threatened, and endangered species that are managed by the <u>Endangered Species Program</u> and should be considered as part of an effect analysis for this project.

This unofficial species list is for informational purposes only and does not fulfill the requirements under <u>Section 7</u> of the Endangered Species Act, which states that Federal agencies are required to "request of the Secretary of Interior information whether any species which is listed or proposed to be listed may be present in the area of a proposed action." This requirement applies to projects which are conducted, permitted or licensed by any Federal agency.

A letter from the local office and a species list which fulfills this requirement can be obtained by returning to this project on the IPaC website and requesting an official species list on the Regulatory Documents page.

There are no endangered species identified for this project area

Critical Habitats

Potential effects to critical habitat(s) within the project area must be analyzed along with the endangered species themselves.

There is no critical habitat within this project area

Migratory Birds

Birds are protected by the <u>Migratory Bird Treaty Act</u> and the <u>Bald and Golden Eagle</u> <u>Protection Act</u>.

Any activity which results in the take of migratory birds or eagles is prohibited unless authorized by the U.S. Fish and Wildlife Service ($\underline{1}$). There are no provisions for allowing the take of migratory birds that are unintentionally killed or injured.

You are responsible for complying with the appropriate regulations for the protection of birds as part of this project. This involves analyzing potential impacts and implementing appropriate conservation measures for all project activities.

| American Bittern Botaurus lentiginosus | Bird of conservation concern |
|---|------------------------------|
| Season: Breeding | |
| https://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode=B0F3 | |
| Bald Eagle Haliaeetus leucocephalus | Bird of conservation concern |
| Year-round | |
| https://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode=B008 | |
| Black-billed Cuckoo Coccyzus erythropthalmus | Bird of conservation concern |
| Season: Breeding | |
| https://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode= | <u>=BOHI</u> |
| Blue-winged Warbler Vermivora pinus | Bird of conservation concern |
| Season: Breeding | |
| Canada Warbler Wilsonia canadensis | Bird of conservation concern |
| Season: Breeding | |
| Fox Sparrow Passerella iliaca | Bird of conservation concern |
| Season: Wintering | |
| Least Bittern Ixobrychus exilis | Bird of conservation concern |
| Season: Breeding | |
| Olive-sided Flycatcher Contopus cooperi | Bird of conservation concern |
| Season: Breeding | |
| https://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode= | BOAN |
| Peregrine Falcon Falco peregrinus | Bird of conservation concern |
| Season: Breeding | |
| https://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode=B0FU | |
| Pied-billed Grebe Podilymbus podiceps | Bird of conservation concern |
| Year-round | |
| Prairie Warbler Dendroica discolor | Bird of conservation concern |
| Season: Breeding | |
| Purple Sandpiper Calidris maritima | Bird of conservation concern |
| Season: Wintering | |
| Short-eared Owl Asio flammeus | Bird of conservation concern |
| Season: Wintering | |
| https://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode=B0HD | |

| Upland Sandpiper Bartramia longicauda | Bird of conservation concern |
|---|------------------------------|
| Season: Breeding | |
| https://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode | <u>=BOHC</u> |
| Willow Flycatcher Empidonax traillii | Bird of conservation concern |
| Season: Breeding | |
| https://ecos.fws.gov/speciesProfile/profile/speciesProfile.action?spcode=B0F6 | |
| Wood Thrush Hylocichla mustelina | Bird of conservation concern |
| Season: Breeding | |
| Worm Eating Warbler Helmitheros vermivorum | Bird of conservation concern |
| Season: Breeding | |

Refuges

Any activity proposed on <u>National Wildlife Refuge</u> lands must undergo a 'Compatibility Determination' conducted by the Refuge. If your project overlaps or otherwise impacts a Refuge, please contact that Refuge to discuss the authorization process.

Refuge data is unavailable at this time.

Wetlands

Impacts to <u>NWI wetlands</u> and other aquatic habitats from your project may be subject to regulation under Section 404 of the Clean Water Act, or other State/Federal Statutes.

Project proponents should discuss the relationship of these requirements to their project with the Regulatory Program of the appropriate <u>U.S. Army Corps of Engineers District</u>.

DATA LIMITATIONS

The Service's objective of mapping wetlands and deepwater habitats is to produce reconnaissance level information on the location, type and size of these resources. The maps are prepared from the analysis of high altitude imagery. Wetlands are identified based on vegetation, visible hydrology and geography. A margin of error is inherent in the use of imagery; thus, detailed on-the-ground inspection of any particular site may result in revision of the wetland boundaries or classification established through image analysis.

The accuracy of image interpretation depends on the quality of the imagery, the experience of the image analysts, the amount and quality of the collateral data and the amount of ground truth verification work conducted. Metadata should be consulted to determine the date of the source imagery used and any mapping problems.

Wetlands or other mapped features may have changed since the date of the imagery or field work. There may be occasional differences in polygon boundaries or classifications between the information depicted on the map and the actual conditions on site.

DATA EXCLUSIONS

Certain wetland habitats are excluded from the National mapping program because of the limitations of aerial imagery as the primary data source used to detect wetlands. These habitats include seagrasses or submerged aquatic vegetation that are found in the intertidal and subtidal zones of estuaries and nearshore coastal waters. Some deepwater reef communities (coral or tuberficid worm reefs) have also been excluded from the inventory. These habitats, because of their depth, go undetected by aerial imagery.

DATA PRECAUTIONS

Federal, state, and local regulatory agencies with jurisdiction over wetlands may define and describe wetlands in a different manner than that used in this inventory. There is no attempt, in either the design or products of this inventory, to define the limits of proprietary jurisdiction of any Federal, state, or local government or to establish the geographical scope of the regulatory programs of government agencies. Persons intending to engage in activities involving modifications within or adjacent to wetland areas should seek the advice of appropriate federal, state, or local agencies concerning specified agency regulatory programs and proprietary jurisdictions that may affect such activities.

Wetland data is unavailable at this time.

U.S. Department of Homeland Security FEMA Region I, Mitigation Division Environmental & Historic Preservation Office 99 High Street, 6th Floor Boston, MA 02110



RECEIVED

JUN 2 4 20:5

June 24, 2015

MASS. HIST. COMM

Brona Simon State Historic Preservation Officer Massachusetts Historical Commission 220 William T. Morrissey Blvd Boston, MA 02125

CONCURRENCE. BRONA SIMON STATE HISTORIC PRESERVATION OFFICER MASSACHUSETTS HISTORICAL COMMISSION

Re: Section 106 Consultation: No Adverse Effect Undertaking: South End Community Center Construction and Traffic Flow Improvements, Emerson Wight Park, Springfield MA Grantee: Massachusetts Emergency Management Agency (MEMA) Sub-Grantee: City of Springfield, MA FEMA Grant Program: Public Assistance Grant Program

Dear Ms. Simon:

As a result of damages caused by severe storms and tornadoes on June I, 2011, the President declared a major disaster declaration, referenced as DR-1 994-MA which makes Federal Emergency Management Agency (FEMA) funding authorized under the Robert T. Stafford Disaster Relief and Emergency Assistance Act, P.L. 93-288, as amended, available to eligible applicants. The City of Springfield (Sub-Grantee) has applied for a FEMA Public Assistance A Iternate Project grant through the Massachu setts Emergency Management Agency (MEMA/Grantee) to construct the South End Community Center (SECC) in Emerson Wight Park in Springfield, MA. At the time of the tornado, the SECC was located in the Howard St. Armory, but the City intends to relocate the function and services to Emerson Wight Park.

Project Location

The proposed location for the new SECC is in Emerson Wight Park. The park is aligned southwest to northeast in the section of Springfield known as the South End, in close proximity to the Six Corners section. (N42.094 I 5 W-72.57844 or UTM Zone 18: 0700258 E, 4663067 N). (Attachment A)

Emerson Wight Park is bordered by Maple Street to the north, Wendell Place and Rutledge Avenue to the west, Acushnet Avenue to the south, and residential lots from Maple and Pine

Ms. Simon June 24, 2015

streets to the east. Currently, there is a playground area and basketball court in the northeast side of the park, and the aforementioned baseball diamond near the park entrance on Rutledge Avenue.

Project Description

The current design plans for the SECC, which were part of a recent traffic impact study, are included in this transmittal (Attachment B). The basketball court, playground area, and paved walking area will remain; additional landscaping features will be added. The new building will be located just south/southeast of the northern entrance from Marble Street and across from the Dwight Street Extension. To accommodate the new facility the existing baseball diamond will be removed.

The new building will consist of 2 stories, the first having 27,150 square feet and the second floor having 10,400 square feet. The breakdown of rooms on the first floor includes:

- Gymnasium (basketball courts)
- Game rooms
- Kitchen/Classroom
- Lobby
- Reception/Police
- Fitness center
- Various classrooms
- Various offices

The second floor will contain:

- Dance/Yoga room
- Computer Lab
- Library/Study
- Music room

In addition to construction within Emerson Wight Park for the SECC itself, there will be improvements to the traffic flow. Since this is a congested area and the construction of the SECC will result in increased vehicular and pedestrian traffic, especially, during mid-late afternoon, a plan has been included to expand the width of Marble Street, extend it to the northeast and curve it to the northwest to connect with Ashmun (Attachment B).

The new road connector will also connect to Richelieu Place and Hillside Place which run perpendicular to Richelieu Street. This new traffic pattern will result in the acquisition and demolition of 9 Richelieu Place and the adjacent vacant parcel #10170-0007 (Attachments B & L). The road extension will also require the demolition of the Marble Street Apartments owned by the Springfield Housing Authority located at 111 & 112 Marble Street. The City of Springfield filed a Project Notification Form (PNP) with MHC in June 2014 to address the demolition of the Marble Street Apartments, demolition of 9 Richelieu Place, and the extension

of Marble Street to Ashmun Street. A copy of MHC concurrence on that PNP form is included in this transmittal (Attachment O).

Area of Potential Effect

As defined in the Advisory Council on Historic Preservation's (ACHP) regulations, the Area of Potential Effect (APE) for a project is defined as, the "geographic area or area within which an undertaking may directly or indirectly cause changes in the character of or use of historical properties, if any such properties exist" (36 CFR 800.16[d]). The APE is based upon the "potential" for effect, which may differ for aboveground resources (historic structures and landscapes) and subsurface resources (archaeological sites). Factors with potential to cause effects include but are not limited to; noise, vibration, visual (setting), traffic, atmosphere, construction, indirect and cumulative.

For this undertaking the APE will be the entire boundary of Emerson Wight Park, the parcels fronting on Marble Street, the parcels immediately adjacent to the park on the southwest and the southeast, and a 50-foot buffer along the northeast side of the park (Attachment J). Also included in the APE will be the right-of-way for the Marble Street Extension, plus 25 feet on each side of the right-of-way, and any temporary right-of-way acquired for the project.

Staging areas will be inside the park itself. The extension of Marble Street and Ashmun Street will see some ground disturbance for the removal of foundations and grading to accommodate the new road (Attachments B & C).

The soils likely to be directly impacted have been previously disturbed by past construction. The NRCS Web Soil Survey identified the soil type for the affected area as Eldridge loamy sand, 0 to 6 percent lopes, and Urban land-Hadley Winooski association, 0 to 8 percent slopes (Attachment M).

Steps Taken to Identify Historic Properties

Emerson Wight Park is not listed in any local, state, or federal registers of historic places. It was surveyed by the Springfield Preservation Trust in May 1983 (Attachment E). The park, established in 1908, was the first playground built under the Massachusetts Playground Act, and is associated with Springfield's recreational history.

FEMA identified two (2) National Register historic districts in the vicinity of Emerson Wight Park: the Hollywood Historic District (Outing Park Historic District, NRHP #12000068), and Ames Hill/Crescent Hill Historic District (NRHP #74000368). The Hollywood Historic District is located north of Marble Street and is roughly bounded by Oswego Street, Main Street, Saratoga Street, and Bayonne Street (Attachment H). The Ames Hill/Crescent Hill Historic District is located east and northeast of the project area and is roughly bounded by Central, Maple, Mill and Pine streets, and Crescent Hill (Attachment G). This district is also a locally designated historic district known as the Maple Hill Historic District. Some additional extant properties in the APE were surveyed by the Springfield Preservation Trust in May 1983. These are:

- 1) 60-62 Acushnet Avenue
- 2) 76 Acushnet Avenue
- 3) 28-30 Marble Street
- 4) 41 Marble Street
- 5) 44 Marble Street
- 6) 76 Marble Street
- 7) 108 Marble Street
- 8) 103-105 Oswego Street
- 9) Rutledge Avenue Streetscape

A map of the properties and the MHC inventory forms have been included in this transmittal (Attachments K & N).

Historical Context and Significance

Maps dating as far back as 1857 show undeveloped land at the location of Emerson Wight Park until the park's development in 1908. In 1871, the Wall and Gray map indicates the addition of Marble Street to an area labeled Crescent Hill. Atlases of 1899, 1910, and 1920 show the area's development over time, including street patterns and buildings. Historic topographical USGS maps from 1895 and 1938 also give some insight into the growth of Springfield's South End (Attachment D).

The southeastern section of the South End was the last to be developed. During the last two decades of the 19th century, five residential streets were laid out easterly from Main Street, between Marble Street and Mill Street. These were Wendell Place, Rutledge Avenue, Acushnet Avenue, Palmer Avenue, and Warriner Avenue. Many of the wood-frame, Victorian-era dwellings remain in this area.

At the time of the park development in 1908, the land encompassing the park and immediately adjacent to the north had been graded and sub-divided into 50 lots in anticipation of residential development. Between 1913 and 1927, after the park was established, development of the remaining land to the north was planned by local architectural firm, Gagnier & Angers.

Christopher Angers and Pierre Gagnier were pioneers in apartment house construction, and were considered the most prolific and successful practitioners of that building type. In February of 1913, Gagnier and Angers prepared plans for the development of the area north of Wight Park. According to the Hampden county Register of Deeds, this development was referred to as "Outing Park" and would be bounded by Adams Street to the north, Main Street to the west, Marble Street to the south and Richelieu Street to the east. The streets that would encompass Outing Park included Saratoga Street, Montpelier Place, Niagara Street, Richmond Street (currently known as Dwight Street Extension), Lorraine Street (now Oswego Street), and Bayonne Street.

In 1908 the Commonwealth of Massachusetts passed the Playgrounds Act which mandated that

any city that contained a population of over 10,000 residents were required to have playgrounds by 1910. Nathan Bill, a wealthy philanthropist who lived nearby on Maple Street, donated the 6.5 acres that would become Emerson Wight Park. This included a small lot at the end of Marble Street that would serve as the north entrance. Bill made the donation in honor of his father-inlaw, Springfield's fourteenth mayor, Emerson Wight, who served four terms in the 1870s.

Emerson Wight Park is credited as being the city's first "public playground." There were four main ideas behind the playground concept: developing the play instinct, keeping children off the streets, teaching the ideals of clean sport, and building up bodies through exercise. Emerson Wight Playground was established for baseball, basketball, and tennis, with gymnasium apparatus for the "older boys," and seesaws, slides, swings, giant strides, and such other apparatus designed for girls and younger children. A wading pond was built in 1917, and during the 1930s, a large swimming pool and bathhouse facilities were added. The bathhouse was located at the end of Wendell Place, where it obstructed the view looking northeast down the street toward Wight Park. Images on Google Earth indicate that this bathhouse was removed sometime between 1997 and 2001.

Over the years there have been various amenities added to and subtracted from the park. Currently, the park consists of a baseball diamond, playground, basketball court, swimming pool, pavilion and open space. Past amenities included a bathhouse, tennis court, and running track. Over the past several years, many facilities in the park have remained the same; the basketball court, pool, pavilion, and playground have all been in their current configuration since at least 1997. Some key additions and subtractions have been:

- Bathhouse removal between 1997 and 2001
- Tennis court addition between 1997 and 2001 (located just inside the park at the end of Rutledge Avenue)
- Removal of tennis court between 2001 and 2004
- Addition of track around baseball diamond between 2001 and 2004
- Removal of pool between 2010 and 2012
- Addition of additional paved walking areas between 2010 and 2012
- Removal of track between 2010 and 2012
- Removal of baseball diamond between 2010 and 2012
- Addition of baseball diamond between 2012 and present
- Addition of soccer field (within outfield of baseball diamond) between 2010 and 2012

Some of the alterations and additions between 2010 and 2012 may have been necessary because of destruction caused by the 2011 tornado. Since the park's conception, its purpose has been to provide recreational opportunities to residents of this section of the South End. The addition of the SECC is consistent with that purpose, but its construction will result in the removal of the baseball diamond and elimination of much of the open space that is located in the southwestern half of the park (Attachment F).

To the east of Emerson Wight Park is a neighborhood of large parcels that extends from Maple Street and Crescent Hill. This area has been listed in the NRHP as the Ames Hill/Crescent Hill Historic District. It is also designated as a local district known as Maple Hill (Attachment G).

This neighborhood was developed by prominent and wealthy Springfield citizens starting in the mid-19th century. Among those who built homes here were industrialists, bankers, lawyers and merchants. Residences are typical of the ostentatious architecture of this period, and represent a significant concentration of 19th and early 20th century domestic architecture in Springfield. The district is situated on two adjacent hills which form a ridge to the southwest of the central business district. The mansions are extensively landscaped and many are screened by dense foliage. (Attachment G)

The development to the north of the park consisted largely of brick, multi-family apartment buildings, well-suited to park-side living. This area is listed was listed in the NRHP as the Hollywood Historic District. It is also known as the Outing Park Historic District after the name of the original development (Attachment H). The Hollywood Historic District represents a single building type, the early twentieth-century brick apartment block. These large Georgian and Classical Revival style brick apartment buildings, create exceptionally cohesive streetscapes within this residential neighborhood. Similarities in scale, massing, and materials emphasize the continuity of the district. Buildings are set close to the street, bordering the public sidewalks. The MHC inventory form for the district notes that Outing Park is likely "the most urban neighborhood in Springfield." The tight layout of the streets and juxtaposition of buildings create are views of the downtown skyline to the north.

This area, as mentioned above, was developed by renowned architects Christopher Angers and Pierre Gagnier between 1913 and 1927. Gagnier & Angers were among the premier development/construction firms responsible for creating the rich housing stock found in Springfield. Of French Canadian descent, Christopher I. Gagnier and Pierre Angers arrived in Springfield in the 1880s. Angers came to the city with his brothers Joseph, Edelmard, Maurice, and George all of whom trained in carpentry. Pierre Angers founded a contracting business in partnership with Gagnier in 1890. Joseph & Edelmard Angers established a contracting company in 1892 (J.A. Angers & Brother), which also included their brother George. They added a lumber yard to the business in 1902. Gagnier & Angers went on to become among the most prolific builders/developers in Springfield. They were responsible for erecting over 830 buildings in the city and more than 1,000 in Massachusetts. Most of what they constructed in Springfield were two-family wood frame houses on lots throughout the city, both as contractor for a different owner and as the developer themselves. Most of the houses they built were located in residential neighborhoods around the city center (Old Hill, Six Corners, Forest Park and Memorial Square).

The district's name can be directly linked to some of the first residents. In 1927 Herbert Miller began a furniture moving business on Saratoga Street that he called the Hollywood Express Company. In 1931, the store at 71 Saratoga Street was renamed the Hollywood Market, and by the late 1940's there were a Hollywood Cafe, a Hollywood Candy Shop, and a Hollywood Restaurant as well. The change in name for the area may be related to the "well-to-do" people who were moving into the new buildings during the 1920's. A development of this size and scale was new to Springfield, and promised greater urbanity for its residents. Another factor that has been cited in the name change is the fact that several actors and dancers who lived in this neighborhood (most notably Eleanor Powell) later went on to star in films in California's Hollywood.

The area declined with Springfield's post-World War II urban middle-class exodus, but in 1983, all but one of the original brick apartment buildings of this development was still intact. A National Register nomination was drafted c.1984, but never completed. In the years since, 20 of the remaining 43 buildings have been demolished, including the recent demolition of a long, street-wall defining block on Dwight Street Extension in the center of the area, and two corner blocks on Saratoga Street (Attachment I). The remaining buildings (representing just over half of the historic development) still convey the range of building design and ornament of the area, with Niagara, Oswego and Bayonne streets retaining the neighborhood's historic sense of street corridor, despite the losses of most of the buildings on Saratoga Street and Dwight Street Extension.

The residential area between the Hollywood Historic District and Emerson Wight Park, as well as the area to the west and south of the park, developed in the late 19th and early 20th centuries. The open space and recreational opportunities that were provided in 1908, were welcomed by those who lived here, and the park became a community focal point.

Since the tornado, many of the houses along the south side Marble Street have been demolished with the lots to be encompassed in Emerson Wight Park during the new design for the Community Center. The demolition, included all the houses on the south side of the road starting from house #47 and ending at house #99. This demolition included the Hiram Dorman house at 67 Marble Street, built in 1888, which was identified in the MHC historic properties survey (SPR.2978). None of the demolished houses were listed in the NRHP.

There have also been alterations to some of the buildings within the APE. The alterations to the properties surveyed by the Springfield Preservation Trust, which were mentioned in the previous section, are summarized in Table 1. None of these properties are listed in the NRHP, and no significant persons or events associated with them were identified (Attachments L & N).

| Address | MHC Inventory No. | Date of Construction | Alterations |
|--|-------------------------|---|---|
| 60-62 Acushnet Avenue | SPR.2987 | c.1896 | Aluminum siding |
| 76 Acushnet Avenue | SPR.2988 | c.1894 | Vinyl siding, windows replaced |
| 28 Marble Street | SPR.2973 | c.1865 | Vinyl siding, openings altered, window replacements, side additions |
| 41 Marble Street | SPR.2977 | c.1873 | Aluminum siding |
| 44 Marble Street | SPR.2971 | c.1890 | Vinyl siding |
| 76 Marble Street | SPR.2968 | c.1894 | Vinyl siding, replacement porch railing, large rear addition |
| 108 Marble Street | SPR.2966 | c.1865 | Vinyl siding, replacement windows |
| 103-105 Oswego Street | SPR.2965 | c.1922 | Cornice removal, interior renovations (1972) |
| Rutledge Avenue Streetscape (16 dwellings) | SPR.AL | Late 19 th -early 20 th C; post- 1983 | All of the structures have replacement siding. Many have replacement windows, porch enclosures, and additions. The house at 45-47 has been demolished, and the house at 39-41 was built after the survey was conducted in 1983. |

Table 1: Springfield Preservation Trust May 1983 Survey properties located in the APE.

There is one recorded Native American Site located approximately 0.5 miles south along the Connecticut River. The site, designated 19-HD-82 was identified as an "Indian Fort" during King Philip's War. There was not much information available on the site form, but as with site 19-HD-81, which is located in the same vicinity along the Connecticut River, the areas were heavily developed. Despite the close proximity to this fort site, the sensitivity of the park drops drastically as this is an area of heavy urban development.

Determination of Eligibility

FEMA has identified two (2) NRHP-listed historic districts adjacent to the project APE, the Hollywood (Outing Park) Historic District and the Ames Hill/Crescent Hill Historic District. FEMA evaluated potential National Register eligibility for twenty-five (25) properties in the APE. In total two (2) properties on Acushnet Avenue, six (6) properties on Marble Street (including Emerson Wight Park), one (1) property on Oswego Street, and sixteen (16) properties on Rutledge Avenue were found <u>ineligible</u> for listing on the National Register. FEMA considered the potential for the buildings to be eligible under Criterion A, but did not uncover any association with unique events that have made significant contributions to the broad patterns of history. The properties do not appear to be eligible under Criterion B as no association with a significant person was identified. As common types that are neither structurally nor architecturally distinctive, the buildings do not appear to be eligible under Criterion to losing streetscape context due to past waves of demolition. Due to extensive soil disturbance related to past construction activities there is only a low possibility that properties possesses intact archaeological resources, none appear to be eligible under Criterion D.

Of special note is the Emerson Wight Park, the proposed location of the SECC. The park represents a historic recreational property in Springfield's South End. Established in 1908, it was the first public playground built in Springfield. The playground movement started in the United States in the 1890s as concern grew over the lack of recreational opportunities for children living in densely populated urban areas. Playgrounds were created years throughout the nation by municipalities, schools, and over the next several philanthropists. Emerson Wight Park is associated with this movement, however the park lacks integrity on several levels. FEMA considered the seven (7) aspects of integrity when determining eligibility for the National Register: location, design, setting, materials, workmanship, feeling and association. The location and association of the park remain intact. However, due to removal of the historic features within the park, as well as demolitions and new construction that have altered the historic character of the surrounding area, the park lacks integrity of design, setting, materials, workmanship, and feeling. Based on the NRHP Criteria for Evaluation (36 CFR Part 63), National Register Bulletin 15 "How to Apply the National Register Criteria," and National Register Bulletin 18 "How to Evaluate and Nominate Historic Designed Landscapes," FEMA considers Emerson Wight Park to be ineligible for listing on the NRHP.

Finding of Effect and Request for Concurrence

FEMA has made a "*No Adverse Effect*" finding for the proposed construction of the SECC in Emerson Wight Park and associated traffic flow improvements. While FEMA did not identify any new historic properties within or adjacent to the APE, the Hollywood (Outing Park) Historic District and the Ames Hill/Crescent Hill Historic District both touch the boundaries of the APE. The undertaking will not alter, directly or indirectly, any of the characteristics of the two (2) historic districts that qualify them for inclusion in the National Register. There will be no diminishment of integrity of location, design, setting, materials, workmanship, feeling, or association of either historic district. No historic properties will knowingly be directly or indirectly destroyed as a result of this undertaking. Indirect visual effects are unlikely due to obstructions such as buildings and landscaping. There will likely be some short-term noise impacts during standard business hours and a temporary increase in particulate matter during construction, however, these temporary indirect effects are not expected to impact either historic district. The proposed Marble Street Extension will not connect to either historic district so an indirect effect of increased traffic within and between the two (2) historic districts is not expected. The soils within the project APE have been heavily disturbed through by repeated episodes of construction over the years. The presence of archaeological material is unlikely, however, as a precaution, the following conditions will be applied to the grant:

- In the event of the discovery of archeological deposits (e.g. Indian pottery, stone tools, old house fountains, old bottles, shell, etc.) the City and/or City contractors shall immediately stop all work in the vicinity of the discovery and take reasonable measures to avoid or minimize harm to the finds. The City and/or City contractors shall secure all archaeological discoveries and restrict access to discovery sites. The City shall immediately report the discovery to MEMA (Grantee) (Lorraine Eddy, 508-820-2055) and the FEMA Deputy Regional Environmental Officer (Lydia Kachadoorian, 857-205-2860); FEMA will determine the next steps.
- In the event of the discovery of human remains, the City and/or City contractors shall immediately stop all work in the vicinity of the discovery and take reasonable measures to avoid or minimize harm to the finds. The City and/or City contractors shall secure all human remain discoveries and restrict access to discovery sites. The City shall follow the provisions of applicable state laws, including Massachusetts General Laws Chapter 38, section 6 (Discovery of skeletal remains likely to be Native American): Chapter 9, Section 26A (State archaeologist; duties; reservation of lands from sale; cooperation of governmental agencies) & 27C (Projects; notice; adverse effect; review); and Chapter 7, section 38A (Skeletal remains; preservation; excavation; analysis) or any amendments or supplanting laws and regulations. Violation of state law will jeopardize FEMA funding for this project. The City shall inform the Office of the Chief Medical Examiner (617-267-6767), the State Archeologist (Brona Simon, 617-727-8470), MEMA/Grantee (Lorraine Eddy, 508-820-2055) and the FEMA Deputy Regional Environmental Officer (Lydia Kachadoorian, 857-205-2860). FEMA will consult the SHPO and Tribes, if remains are of tribal origin. Work in sensitive areas may not resume until consultation is completed and appropriate measures have been taken to ensure that the project is in compliance with the National Historic Preservation Act.

In accordance with 36 C.F.R. Part 800 and pursuant to Stipulation I.C.2.b. of the FEMA-SHPO-MEMA Programmatic Agreement for Massachusetts (2011), FEMA requests SHPO concurrence within its finding of "*No Adverse Effect*" within ten (10) calendar days from receipt of this transmittal. Please let us know in advance if additional time is needed.

Should you have any questions, please do not hesitate to contact me. I can be reached by phone at 857-205-2860 or email <u>Lydia.Kachadoorian@fema.dhs.gov</u>. Thank you for your prompt review.

Sincerely,

ydia Jachadomon

Lydia Kachadoorian, RPA Deputy Regional Environmental Officer FEMA Region 1, New England

Attachments:

- A. Location Map
- B. Project Design
- C. Project APE Map
- D. Historic Maps
- E. MACRIS Files of Emerson Wight Park
- F. Modern Google Earth Images
- G. National Register Nomination Form for Ames Hill/Crescent Hill Historic District
- H. MACRIS File for Hollywood (Outing Park) Historic District
- I. Hollywood Historic District map with demolished buildings marked
- J. Photo Pages
- K. Map of Historic Properties Identified in the APE
- L. Tax Cards for Individual Properties
- M. Soil Map
- N. MACRIS for Individual Properties
- O. MHC Project Notification Form



SOUTH END COMMUNITY CENTER Marble Street and Emerson Wright Park City of Springfield, Massachusetts



TRAFFIC IMPACT AND ACCESS STUDY

Prepared for: City of Springfield

Prepared by: Weston & Sampson Engineers, Inc. WSE Project No. 2140023

June 2015

Weston Sampson.

TABLE OF CONTENTS

Page

| EXECUTIVE SUMMARYi |
|--|
| 1.0 INTRODUCTION1 |
| 2.1 EXISTING CONDITIONS |
| 2.2 Roadway Network |
| 2.3 Study Intersections |
| 2.4 Existing Traffic Volumes4 |
| 3.0 FUTURE NO BUILD CONDITIONS |
| 4.0 PROPOSED ROADWAY PROJECT |
| 5.1 PROPOSED DEVELOPMENT 12 |
| 5.2 Site Plan – Access and Parking 12 |
| 5.3 Trip Generation12 |
| 5.4 Trip Distribution and Assignment12 |
| 6.0 FUTURE BUILD CONDITIONS16 |
| 7.0 OPERATIONAL ANALYSIS |
| 8.0 AIR QUALITY |
| 9.1 CONCLUSIONS |
| APPENDIX A – Traffic Count Data |
| APPENDIX B – Seasonal Adjustment Data |
| APPENDIX C – Other Development Projects |
| APPENDIX D – Trip Generation Analysis |
| APPENDIX E – Explanation of Operational Analysis |
| APPENDIX F – Operational Analysis |
| APPENDIX G – Air Quality Report |



LIST OF FIGURES

| Figure 1 – Location Map | 2 |
|---|----|
| Figure 2 – Year 2015 Existing Traffic Volumes | 6 |
| Figure 3 – Year 2027 No Build Traffic Volumes | 8 |
| Drawing SPM-1 – Signing and Pavement Marking Plan | 10 |
| Drawing SPM-2 – Signing and Pavement Marking Plan | 11 |
| Drawing L-3 – Site Layout Plan | 13 |
| Figure 4 – Trip Distribution | 14 |
| Figure 5 – Site Traffic Volumes | 15 |
| Figure 6 – Year 2027 Build Traffic Volumes | 17 |

LIST OF TABLES

| Table 1 – Year 2015 Existing Daily Traffic Volumes | 5 |
|--|-----|
| Table 2 – Intersection LOS and Capacity Summary | |
| | |
| Table 3 – Queue Summary – Average and 95 th Percentile (feet) | .20 |



EXECUTIVE SUMMARY

The City of Springfield engaged Weston & Sampson to prepare a traffic impact and site access study for the new South End Community Center (SECC). The SECC, formerly located on Howard Street roughly 0.5 miles from its proposed location, was demolished during the tornado event that hit Western Massachusetts in 2011. The new SECC is proposed to be located along an extension of Ashmun Street to Marble Street and adjacent to the Emerson Wright Park within the South End neighborhood of the City. The roadway project for the extension of Ashmun Street to Marble Street is anticipated to begin construction in 2016. For the purposes of this study, the SECC and roadway project were reviewed contiguously. It was assumed that both would be completed by the year 2017.

The new SECC is proposed as an approximately 26,000 square foot facility, including gymnasium, classroom, and office space. Site access is proposed via two unsignalized driveways for the parking area. A bus drop-off and pick-up area will also be provided in front of the SECC. The City roadway project through the study area includes extension of Dale Street between its current termini at Morris Street to Central Street opposite Ashmun Street. Ashmun Street will be reconstructed for its entire length and extended from its easterly dead-end near Adams Street to the northerly dead-end of Marble Street.

It is projected that during a typical weekday, the community center will generate approximately 55 total trips (35 in/20 out) during the morning commuter peak hour, 75 total trips (35 in/40 out) during the evening commuter peak hour, and 880 daily trips.

This study reviewed the Year 2015 Existing, Year 2027 No Build, and Year 2027 Build conditions at the following intersections:

- Main Street at Fremont Street and Central Street (signalized)
- Main Street at Norwood Street and Marble Street (unsignalized)
- Main Street at Broad Street and Wendell Place (signalized)
- Central Street at Ashmun Street and Dale Street (unsignalized, Build only)
- Central Street at Maple Street (signalized)
- Marble Street at SECC Bus Drive #2 (unsignalized, Build only)
- Marble Street at SECC Drive #1 (unsignalized, Build only)
- Marble Street at SECC Drive #2 (unsignalized, Build only)

Based on operational analysis, all of the study signalized intersections are projected to operate at an overall intersection LOS C or better given all of the study conditions (Existing, No Build, Build). With the exception of the Wendell Place approach during the evening peak hour, all of the individual intersection approaches operate at LOS D or better and well under capacity.

All of the critical movements at the unsignalized study intersections operate at LOS C or better given all of the study conditions (Existing, No Build, Build) and well under capacity. The critical movements at the proposed access points are projected to operate at LOS A with no capacity issues.

It is projected that the community center traffic will have negligible impact on vehicular queues at



the study intersections.

An air quality assessment was also performed for this report. Since the project is located in Hampden County, which is presently designated by the United States Environmental Protection Agency (USEPA) as a moderate nonattainment area for the 8-hour ozone and a maintenance area for CO for parts of the county, the Clean Air Act (CAA) Conformity would typically apply. The SECC, however, is being reconstructed due to damages caused by the tornado event that hit Massachusetts in 2011. As such it is exempt from the General Conformity Rule per 40 C.F.R. § 93.126. Furthermore, since the proposed roadway portion of the project involving the extension of Ashmun Street to Marble Street is not a Federal Highway Administration (FHWA)/Federal Transit Authority (FTA) project and it is not regionally significant, the requirements of the Transportation Conformity Rule is not applicable.

For disclosure and completeness purposes, an emissions inventory of the project-related motor vehicle traffic as well as an analysis of the signalized intersections within the limits of the roadway project were evaluated. The results of the emissions inventory show that if the project were not exempt, the project generated emissions are well below the conformity *de-minimis* levels. Similarly, the delay and congestion of the signalized intersections within the limits of the roadway project are minimal and would not likely cause or contribute to a potential CO exceedance of the NAAQS.



1.0 INTRODUCTION


The City of Springfield has engaged Weston & Sampson to prepare a traffic impact and site access study for the new South End Community Center (SECC). The SECC was formerly located on Howard Street roughly 0.5 miles from its proposed location. The Howard Street SECC was demolished during the tornado event that hit Western Massachusetts in 2011. The new SECC is proposed to be located along an extension of Ashmun Street to Marble Street and adjacent to the Emerson Wright Park within the South End neighborhood of the City. The roadway project for the extension of Ashmun Street to Marble Street is anticipated to begin construction in 2016. For the purposes of this study, the SECC and roadway project will be reviewed contiguously. It is assumed that both will be completed by the year 2017. The proposed site location is illustrated in Figure 1.

The new SECC is proposed as an approximately 26,000 square foot facility, including gymnasium, classroom, and office space. Site access is proposed via two driveways for the parking area. A bus drop-off and pick-up area will also be provided in front of the SECC. The City roadway project through the study area includes extension of Dale Street between its current termini at Morris Street to Central Street opposite Ashmun Street. Ashmun Street will be reconstructed for its entire length and extended from its easterly dead-end near Adams Street to the northerly dead-end of Marble Street. The location of the roadway project is also illustrated in Figure 1.

This study presents assessment of the impact, if any, of the anticipated site traffic volumes associated with the new SECC location on the surrounding roadway network. The existing year 2015 traffic conditions as well as projections of the future year 2027 (representing a 10 year horizon from project opening) will be analyzed during the weekday morning and evening peak periods. The future conditions will include year 2027 "no build" conditions, as well as "build" conditions representing future conditions after completion of the roadway improvement project (extending Ashmun Street to Marble Street) with the addition of anticipated SECC site traffic volumes. Findings of air quality assessment will also be provided.



FIGURE 1



LOCATION MAP SCALE: 1"=1000'



2.0 EXISTING CONDITIONS

2.1 Roadway Network

The SECC is proposed to be located on Marble Street. **Marble Street** is essentially an east/west oriented two-lane City road. The roadway is roughly 1000-feet long and currently dead-ends at two City of Springfield Housing Authority properties. Sidewalks are provided along both sides of the roadway. Street lighting is also provided and on street parking is permitted.

Other roadways in the study area include Main Street, Central Street, and Maple Street. Each of these roadways are two-lane City streets within the study area, sidewalks are provided on both sides of the roadways. Street lighting is also provided.

Marble Street begins from **Main Street**, which essentially runs north/south. Main Street runs parallel to Interstate 91, located to the west, from roughly Interchange 4 to Interchange 10. On- street parallel parking is provided along both sides of the roadway. Main Street is a central business district area.

Central Street, is an east/west roadway which runs from Main Street to Maple Street where it angles and runs northwest/southeast between Maple Street and Walnut Street. On-street parking is permitted along the southerly side of the roadway. Land uses are primarily residential.

Maple Street is essentially a north/south roadway which runs parallel to Main Street. The posted speed limit is 30 miles per hour. On-street parking is prohibited within the vicinity of Central Street. Land uses are mixed with institutional, business, and residential.

2.2 Study Intersections

There are three study intersections located along Main Street within the study area. Main Street is the major street through each of these intersections and forms the northerly and southerly legs of the intersection. The Main Street study intersections are described below:

- Main Street at Fremont Street and Central Street is a four-legged, fully actuated, signalized intersection. Central Street forms the easterly leg and Fremont Street westerly leg. A single lane is provided on each of the intersection approaches. Main Street southbound left turns are protected permitted, and the side streets have split phasing. An exclusive pedestrian phase is provided, upon push button actuation.
- Main Street at Norwood Street and Marble Street is a four-legged, two-way STOP controlled intersection. Norwood Street forms the westerly leg of the intersection and is a one-way roadway eastbound toward Main Street. Marble Street forms the easterly leg of the intersection. Norwood Street and Marble Street are STOP controlled. A single lane is provided on each intersection approach.
- Main Street at Wendell Place and Broad Street is a fully-actuated, signalized intersection. Broad Street forms the westerly leg of the intersection and Wendell Place the easterly leg. The side streets are offset with Broad Street intersecting Main Street about 75-feet north of Wendell Place. On Main Street, an exclusive left turn lane is provided on the northbound approach and an exclusive right turn lane on the southbound approach. The Main Street northbound left turns are protected permitted.



The side streets have split phasing and the southbound Main Street right turns have an overlap with the Broad Street phase. Exclusive pedestrian phasing is also provided.

There are two study intersections located along Central Street within the study area:


- Central Street at Morris Street and Ashmun Street is an unsignalized intersection. Central Street is the major street forming the easterly and westerly legs of the intersection. Morris Street and Ashmun Street are both one-way roadways running away from the Central Street intersection. Morris Street forms the northerly leg and Ashmun Street the southerly legs of the intersection. There is no traffic control at this intersection.
- Central Street at Maple Street and Cemetery Avenue is a five-legged signalized intersection. Cemetery Avenue, however, is a private driveway to Springfield Cemetery and is not a signalized. Maple Street is the major street through the intersection and forms the northerly and southerly legs of the intersection. Central Street forms the westerly leg of the intersection. Central Street angles at the intersection and also forms the southeasterly leg. Cemetery Avenue forms the easterly leg. The northbound Maple Street and eastbound Central Street approaches provide a single lane. The southbound Maple Street approach provides two-lanes; an exclusive left turn lane, and a shared through and right turn lane. The Central Street northwest approach also provides two-lanes; a shared left and through lane, and an exclusive right turn lane. Maple Street southbound lefts are permitted/protected with a lag phase. During the lag phase, Central Street northwest bound right turns are provided an overlap. The side street phasing is concurrent. An exclusive pedestrian phase is provided, upon push button actuation.

2.3 Existing Traffic Volumes

Intersection turning movement counts (TMCs) as well as daily automatic traffic recorder (ATR) counts were performed at key locations within the study area. Specifically TMCs were conducted on Thursday February 26, 2015, while schools were in session, during the morning period between 7 AM and 9 AM and the evening period between 4 PM to 6PM. The traffic count data is provided in Appendix A.

Intersection TMC were conducted at following locations:

- 1. Main Street at Broad Street and Wendell Place
- 2. Main Street at Norwood Street and Marble Street
- 3. Main Street at Fremont Street and Central Street
- 4. Central Street at Morris Street and Ashmun Street
- 5. Central Street at Maple Street and Cemetery Avenue






The Massachusetts Department of Transportation (MassDOT) provides a "Monthly ADT Comparison Report" for use in seasonally adjusting traffic counts. There are four permanent count locations near the South End neighborhood and include:

- Station 26, I-91 in Longmeadow, South of Springfield City Line
- Station 31, I-291 in Springfield, South of Roosevelt Avenue
- Station 2248, I-291 in Springfield, West of Saint James Avenue
- Station 2251, I-291 in Springfield, at Chicopee City Line

Based on the data available for these permanent count stations, the month of February is historically lower than the average volumes at all of the locations except for Station 26. Excluding Station 26, the average seasonal adjustment factor for the remaining stations is 4.6 percent. The historical data and seasonal adjustment factors are provided in Appendix B. The February 2015 TMCs were increased by this factor and are provided in Figure 2.

Daily ATR counts were conducted from Monday February 23 through Thursday February 26, 2015 at two locations. The seasonally adjusted daily traffic volumes are listed in Table 1.

| Table 1 – Year 2015 Existing Daily Traffic Volumes | | | | | | | | | | |
|--|-------------------------|--|--|--|--|--|--|--|--|--|
| Location | Daily Volume (vehicles) | | | | | | | | | |
| Main Street north of Broad Street | 10,200 | | | | | | | | | |
| Central Street east of Ashmun Street | 4,950 | | | | | | | | | |





www.westonandsampson.com

3.0 FUTURE NO BUILD CONDITIONS

The future year 2027 "no build" traffic volumes were developed as a base of comparison for the proposed SECC traffic impact, if any. Year 2027 represents a 10-year horizon after the opening of the SECC and construction of the Dale Street/Ashmun Street/Marble Street roadway project. Specifically, the existing year 2015 traffic volumes were increased by a background growth rate and traffic volumes anticipated by other nearby proposed developments superimposed.

Background traffic volume growth represents the increase of traffic volumes over the course of time. Growth occurs from developments within the immediate study vicinity, as well as ambient traffic growth due to development and population increase outside of the vicinity of the project site.

Ambient traffic growth is often developed from historical daily traffic volume data. Based on review of historical data completed in the December 17, 2012 "Traffic Impact and Access Study MGM Springfield" (*MGM Study*) prepared by TEC, traffic volumes have been declining within the SECC study area. The *MGM Study* uses a conservative background growth rate of 0.5 percent per year. For consistency, a 0.5 percent growth rate was also chosen for the SECC study. The background growth rate was applied to the 2015 existing traffic volumes and compounded for 12-years to represent year 2027 base traffic volumes.

In addition to the ambient traffic growth, site traffic volumes associated with the following were included in the future year 2027 "no build" traffic volumes:


- MGM Springfield
- City of Springfield vacant property (between Central Street and Morris)
- South End Master Plan

The MGM (roughly 880,000 square foot) mixed use development is proposed to be located roughly 0.5-miles from the SECC site within the area bound by State Street, Main Street, Union Street and East Columbus Avenue. The MGM development will include casino, entertainment, hotel, retail, and residential apartment uses. Based on a review of the MGM study, a small portion of the MGM traffic is anticipated to travel though the SECC study area along Main Street, Maple Street and Central Street. The site location map of the MGM, as well as, the projected site traffic volumes and trip distribution for the MGM development are provided in Appendix C.

The City of Springfield currently owns the easterly end of the block bound by Main Street, Central Street, and Morris Street. Discussions with City representatives indicated that this currently vacant property may be used as additional parking (providing 194 parking spaces) for the casino. For the purposes of this study, it was assumed that the parking area would provide overflow employee parking. Traffic volumes were developed for the parking area based on information provided in the MGM study.

In addition to the MGM development, the South End neighborhood is under revitalization. The May 2014 Draft of the "South End Revitalization Plan, Phase 2", was reviewed. Based on information provided in Figures I-1, I-2, II-8, and II-9 of the Revitalization Plan, discussions with City staff, and review of City GIS, traffic volumes were developed to account for currently vacant properties and completion of the Outing Park Historic District rehabilitation. The referenced figures are also provided in Appendix C. The year 2027 no build peak hour traffic volumes are summarized in Figure 3.








4.0 PROPOSED ROADWAY PROJECT

A City Roadway Improvement Project for Ashmun Street, Dale Street, and Marble Street is currently in the final design stages and is anticipated to be out to bid later this year. It is assumed that construction will be completed before the opening of the SECC. The project includes extension of Dale Street between its current termini at Morris Street to Central Street opposite Ashmun Street. The small section of Morris Street between Dale Street and Central Street will be removed. Ashmun Street will be reconstructed for its entire length and extended from its easterly dead-end near Adams Street to the northerly dead-end of Marble Street. The proposed roadway configurations are illustrated in the following Signing and Pavement Marking Plans, drawings SPM-1 and SPM-2.

All the intersections along the Ashmun Street, Dale Street and Marble Street corridor are proposed to be unsignalized:

- At the **Dale Street with Morris Street intersection**, Dale Street will form the eastbound and westbound major street approaches and will be free-flow. Morris Street south of Dale Street is one-way away from the intersection. Morris Street north of Dale Street will essentially act as a driveway to #80 through #86 Morris Street.
- At the Dale Street/Ashmun Street intersection with Central Street, Central Street is considered the major street and forms the free-flow northbound and southbound approaches. The eastbound Dale Street and westbound Ashmun Street approaches will be STOP controlled.
- At the intersection of **Ashmun Street at Adams Street**, Adams Street is one-way southbound away from Ashmun Street (between Ashmun Street and Richilieu Street). The Ashmun Street eastbound and westbound approaches are free-flow and are the major street approaches.







| - WHORN | A share sort | H-1-H | | | 20.6 | RUNA | 1 | | | | and the second second | | | 1 H Am MAL | | | | | | | | SMA | | | estonéSamps | Newson favored for any and the angle of the |
|--|-----------------------------------|----------------------|--|--|---------------------------------------|----------------------------------|----------------------------|------------------------------|---|----------|-------------------------------------|---|--|------------------------------------|---------------------------|---|--|--|---------------|-----------------------|--|-----------------------------------|------------------------------|-----------------------|--|---|
| | | | | | | | | | | | | | | | | | | | | | | | | | PROAFES | |
| IDENTIFI- CATION NUMBER | TEAT | PANEL | _ | COLOR | OF SOURCD | TOTAL AREA BQ, FT, | POST BAZE REGARAED | DENTIFI- CATION NUMBER | TEXT | | ANEL SIZE | 00104 | NUMBER OF SIGNS RDGURED | NDTAL ARISA SQ.FT. | POST SUS REQUIRED |] | IDENTIPI- CATION HUMBER | TEAT | PANE MIDTH | L SAZIC | COLOR COMB. | NUMBER OF BIOMS RECORDED | TOTAL AREA SIQ. FT. | POST SIZE REGUIRED | 2 MPROFILMENTS PROJECT | 0 12+22 |
| CATION | TEAT MORRIS ST | PANELS WIOTH # | EIGHT | COLOR | OF | TUTAL AREA BO, FT. BACH | POST BZE RESUMED P-1 | DEVITE CATION NUMBER | TEXT | | TH HERT | DOLOF COMB 7 7 944% ON RED | 0F 190403 | A PIPA | POST BIS Rigumed PS | | CATION | | - | | | OF REAMS | AREA | POST SIZE REQUIRED | COMPACTTS QUE MORES DET REQUERT MANDANIES PROJECT DET REQUERT DE ANDO | MAMOKING PLANS 7+20 TO 12+22 |
| CATION MUMBER | | W007H 8 | EIGHT 12" | COMA RE | OF SIGNS CURED | BQ. FT. | | NUMBER | STOP | WD | n = 20 | m COMB | OF SIGNS REQUIRED | ARSA SQ.FT. | | | CATION NUMBER | P-HE CHARLES | HBC/DH | HERHT | rsto ON | OF REAMS | APEA BIQ. FT. | | Reserved, Model/perioding April 00 hostor Model Markor Model Rouser Amonganing Product | EMENT MANOUNG PLANS T STA 7+20 TO 12+22 |
| CATION MARGER (23-1 (7182) D3-2 (7182) D3-3 | MORRIS ST | WOTH 8 | 17 17 17 | COTOM USE COMPALIE CONV CONV CONV CONV CONV CONV CONV CONV | of sities surked | BQ. FT. | P4 | R5-1 | STOP IIII | 30 | тн невон r 20' r 90 | RED DN NED DN NHTE | OF SIGNS RIDOURED | 485A 90,FT 98.75 | PS | - | 64TION NUMBER 87-(1) | HE PHEORE | 12' | 18 | COMB. PERO ON WENTE RED ON | OF REAMS | 4824 842, PT. 1.5 | 13 | TTY OF SPRESSIELD, 1 SUPPLY OF SPRESSIELD, 1 SUPPLY ON MUSIC OF PL | & PAVEMENT STREET STA |
| склок и.и.меек (тех) род род род род род род род род род род | MORRIS ST DALE ST | NACH NACH NACH | 17 17 17 17 | COMMA COMMA COMMA COMMA CN CN CN CN CN CN CN CN CN CN CN CN CN | of source survect | BACH BACH | P5 | 85-5 87-309 | STOP | 12 | т некон * 30' * 18' | RED ON RED ON RED ON UNITE ON | OF SIGNS RIDOURED | 405A 902.FT. 98.75 1.5 | PS | - | 0ATION MANREEP 87- (1) 87- (1) | PEC PEC PEC PEC PEC PEC PEC PEC PEC PEC | 11" | 11° | COMB. PRID OH WHITE RED ON WHITE BLACK CIV | 07 88346 REQUIRED 1 2 | AREA 342, FT. 1.5 3 | P3 | TTY OF SPRESSIELD, 1 SUPPLY OF SPRESSIELD, 1 SUPPLY ON MUSIC OF PL | SIGNAL & PAYEMENI MARKING PLANS ASHAUN STREET STA 7+20 TO 12+22 |
| сктон мамеен (1941) ряса ряса ряса ряса | MORRIS ST DALE ST ASHMUN ST | WECTH 4 | 55. 15. 15. 15. 15. 15. 15. 15. 15. 15. | COUCH REAL COMMANDER | of stores source t t 2 | BACH BACH BACH | P4 P3 P5 | R1-5 R1-5 R1-108(1) | 570 ⁶ 1 1 1 1 1 1 1 1 1 1 | 12 12 | тн некон r 30° r 30° r 30° | т сома уннте он явр он явр он явр он янте он он иннте он он иннте он аннте он аннте он аннте он он анте он он анте он он анте он он анте он он анте он он он анте он он анте он он он он он он анте он он он он он он он он он он он он он | 3 1000000000000000000000000000000000000 | 400A 90,FT. 98.75 15 3 | 15 15 | | САТКОН НЕАНБЕРГ 87-112 87-121 98-134 | | 11° 11° | HERO-FT 11° 11° | RED ON WHITE BLACK ON BLACK ON | 1 22 4 | AREA 102, FT. 15 2 | PS PS | TTY OF SPRESSIELD, 1 SUPPLY OF SPRESSIELD, 1 SUPPLY ON MUSIC OF PL | & PAVEMENT STREET STA |



5.0 PROPOSED DEVELOPMENT

5.1 Site Plan – Access and Parking

As illustrated in Site Layout Plan, L-3, access to the new SECC will be provided via two full access driveways situated near the proposed parking area. Patron, vendor, and employee vehicular traffic will use these two driveways. A bus drop-off and pick-up area will also be provided. This area will be located in front of the SECC between the building and Marble Street. Two curb cuts will be provided for this one-directional area; the southerly curb cut entrance only and the northerly egress only. Buses will enter the area along Marble Street from the south and continue traveling northbound along Marble Street upon exit.

South of the SECC site, sidewalks are provided along both sides of Marble Street. Based on plans for the Ashmun Street, Dale Street and Marble Street Roadway Improvements Project, a sidewalk will be provided by the City along the westerly side of the proposed extension of Marble Street. On site, sidewalks are provided around the perimeter of the building and outdoor basketball court. The site sidewalks will connect to the Marble Street and the Emerson Wright Park sidewalk systems, as well as to the bus drop-off/pick-up area and parking. Two crosswalks are proposed across Marble Street; the first to be located at the southerly end of the site (south of the bus entrance) and the second roughly at the center of the site (between the bus exit and the southerly full access driveway).

A total of 92 parking spaces will be provided, including 2 handicap spaces. This is greater than the City requirement of 3 spaces per 1,000 square feet for this type of land use. It is intended that employees will park in the 8 space parking area located immediately east of the outdoor basketball court. Vendors will also unload from this area. A bike rack will be provided near the front of the SECC building.

5.2 Trip Generation


The proposed development will consist of an approximately 26,000 square foot facility, including a gymnasium, as well as, classroom and office space. The number of vehicle trips expected to be generated by the proposed development was estimated by applying the rates and equations developed by the Institute of Transportation Engineers (ITE) as published in <u>Trip</u> <u>Generation</u> <u>Manual</u>, 9th Edition.

It is projected that during a typical weekday, the community center will generate approximately 55 total trips (35 in/20 out) during the morning commuter peak hour, 75 total trips (35 in/40 out) during the evening commuter peak hour, and 880 daily trips. Trip generation analysis is provided in Appendix D.

5.3 Trip Distribution and Assignment


The geographic distribution of the trips generated by the community was determined based on the existing traffic patterns within the site vicinity, as well as trip distribution from the MGM study for employees. The trip distribution for the project is summarized in Figure 5. These distribution percentages were applied to the trips generated, and the traffic volumes were assigned to the road network. The turning movement volumes expected from the project are shown in Figure 6.






Traffic Impact and Access Study South End Community Center City of Springfield, Massachusetts












6.0 FUTURE BUILD CONDITIONS

The estimated Site Traffic vehicular trips for the SECC were added to the Year 2027 No Build volumes to represent the traffic expected in the area with project build-out. The Year 2027 Build traffic volumes are shown in Figure 6.





Veston Samoson.

7.0 OPERATIONAL ANALYSIS

The study intersections were analyzed based on the Year 2015 Existing, Year 2027 No Build, and Year 2027 Build conditions. Using the methodologies described in Appendix E, EXPLANATION OF LEVEL OF SERVICE, the level of service (LOS), capacity (v/c ratio), and projected queues were determined for the study intersections and site access points. The results are summarized in Table 2 and 3. The operational analysis is provided in Appendix F.

All of the study signalized intersections operate at an overall intersection LOS C or better given each of the study conditions (Existing, No Build, Build). With the exception of the Wendell Place approach during the evening peak hour, all of the individual intersection approaches operate at LOS D or better and well under capacity, as well.


All of the critical movements at the unsignalized study intersections operate at LOS C or better given each of the study conditions (Existing, No Build, Build) and well under capacity. The critical movements at the proposed access points are projected to operate at LOS A with no capacity issues.

It is projected that the community center traffic will have negligible impact on vehicular queues at the study intersections.



| | | | Table 2 – In | | | soury sum | | | | | 2027.0 | | |
|--|---|-----|---------------|---------|------|-----------|--------------|---------|------------|-----|--------|----------|--------------|
| | | | 2015 E/ AM | KISTING | M | | 2027 N AM | O BUILD | 2027 BUILD | | | | |
| Approach | Movement | LOS | v/c | LOS | v/c | LOS | v/c | LOS | v/c | LOS | v/c | LOS | T |
| | | | | | | | | | | | | | T |
| MAIN STREET AT FREMONT STREET/ | | | | | | | | | | | | | |
| Main Street NB: | Left/Thru/Right | В | 0.50 | В | 0.44 | В | 0.59 | В | 0.52 | В | 0.59 | В | \perp |
| Main Street SB: | Left/Thru/Right | Α | 0.01 | A | 0.01 | Α | 0.01 | A | 0.01 | A | 0.01 | A | \downarrow |
| Fremont Street EB: | Left/Thru/Right | С | 0.41 | D | 0.38 | D | 0.44 | D | 0.41 | D | 0.44 | D | \perp |
| Central Street WB: | Left/Thru/Right | D | 0.81 | D | 0.83 | D | 0.85 | D | 0.87 | D | 0.85 | D | \downarrow |
| | Overall Intersection | В | - | В | - | В | - | В | - | В | - | В | + |
| MAIN STREET AT NORWOOD STREET | MARBLE STREET* | | | | | | | | | | | <u> </u> | + |
| Main Street SB: | Left | A | 0.01 | A | 0.01 | A | 0.01 | A | 0.01 | A | 0.01 | A | + |
| Norwood Street EB: | Left/Thru/Right | B | 0.02 | ĉ | 0.03 | B | 0.02 | ĉ | 0.04 | B | 0.02 | ĉ | + |
| Marble Street WB: | Left/Thru/Right | В | 0.07 | č | 0.15 | B | 0.08 | c | 0.19 | В | 0.10 | c | + |
| | | | | - | | - | | | | | | | + |
| MAIN STREET AT BROAD STREET | WENDELL PLACE: | | | | | | | | | | | | † |
| Main Street NB: | Left | Α | 0.20 | Α | 0.20 | Α | 0.23 | A | 0.24 | A | 0.23 | Α | + |
| | Through/Right | Α | 0.27 | A | 0.32 | A | 0.32 | A | 0.37 | A | 0.33 | A | Ι |
| Main Street SB: | Left/Through | В | 0.25 | B | 0.47 | В | 0.30 | В | 0.53 | B | 0.30 | В | \square |
| | Right | A | 0.05 | A | 0.07 | A | 0.06 | A | 0.08 | A | 0.06 | A | 4 |
| Broad Street EB: | Left/Thru/Right | D | 0.77 | D | 0.80 | D | 0.76 | D | 0.80 | D | 0.78 | D | + |
| Wendell Place WB: | Left/Thru/Right Overall Intersection | DB | 0.74 | E | 0.56 | DB | 0.78 | EB | 0.58 | DB | 0.77 | E | + |
| | Overall Intersection | • | - | • | | D | - | - P | - | D | - | | + |
| MARBLE STREET A | T SECC DRIVE #2*: | | | | | | | | | | | | + |
| SECC Drive #2 NB: | | - | - | - | - | - | - | - | - | A | 0.01 | A | Τ |
| Marble Street WB: | Left | - | - | • | - | - | - | · · | - | A | 0.01 | A | + |
| CENTRAL STREET AT ASHMUN STRE | ET/DALE STREET*: | | | | | | | | | | | <u> </u> | + |
| Ashmun Street NB: | Left/Thru/Right | - | - | - | - | - | - | - | - | В | 0.03 | В | + |
| Dale Street SB: | Left/Thru/Right | - | - | | - | - | - | - | - | В | 0.05 | В | + |
| Central Street EB: | Left | - | - | - | - | - | - | - | - | Ā | 0.01 | A | + |
| Central Street WB: | Left | - | - | - | - | - | - | - | - | A | 0.01 | Α | † |
| | | | | | | | | | | | | | Τ |
| CENTRAL STREET | | | | | | | | | | | | | Ι |
| Maple Street NB: | Left/Thru/Right | С | 0.70 | С | 0.39 | D | 0.76 | C | 0.45 | D | 0.77 | С | |
| Maple Street SB: | Left | A | 0.22 | С | 0.53 | Α | 0.27 | B | 0.59 | A | 0.27 | В | |
| | Through/Right | A | 0.22 | B | 0.45 | Α | 0.24 | B | 0.48 | A | 0.25 | В | |
| Central Street EB: | Left/Thru/Right | С | 0.44 | С | 0.52 | С | 0.50 | C | 0.58 | C | 0.55 | D | \perp |
| Central Street WB: | Left/Through | С | 0.26 | C | 0.26 | С | 0.28 | C | 0.28 | C | 0.29 | C | \downarrow |
| | Right | C | 0.63 | B | 0.24 | С | 0.67 | В | 0.26 | C | 0.67 | C | \downarrow |
| | Overall Intersection | С | - | В | - | С | - | В | - | С | - | В | + |
| MARBLE STREET AT SE | CC BUS DRIVE #2*- | | | | | | | | | | | | + |
| SECC Bus Drive #2 NB: | Right | - | - | | - | - | - | - | - | A | 0.01 | A | + |
| | | | | | | | | | | | | | 1 |
| | T SECC DRIVE #1*: | | | | | | | | | | | L . | 4 |
| SECC Drive #1 NB: Marble Street WB: | Left/Right | - | - | • | - | - | - | - | - | A | 0.01 | A | + |
| | Left | - | - | | - | - | - | - | - | A | 0.01 | A | 1 |

* Unsignalized intersection, LOS and capacity for critical movements only.





| | | | Table 3 – | Queue Sumr | | ige and 95 ⁸ | Percentile | | | | | | | | |
|-----------------------|-------------------------------|-------------------|-----------|------------------|------|-------------------------|------------|------------------|------|------------------|---------------|------------------|------|----|--|
| Intersection | | Available | | 2015 EX | | | | 2027 NO | | 2027 BUILD | | | | | |
| | | Storage | A | | P | | | M | P | | A | | Pl | | |
| Approach | Movement | (feet) | Avg. | 95 th | Avg. | 95 th | Avg. | 95 th | Avg. | 95 th | Avg. | 95 th | Avg. | 95 | |
| MAIN STREET AT F | REMONT STREET | CENTRAL STREET: | | | | | | | | | | | | | |
| Main Street NB: | Left/Thru/Right | 1200 | 175 | 300 | 150 | 250 | 225 | 375 | 200 | 300 | 200 | 325 | 200 | | |
| Main Street SB: | Left/Thru/Right | 1000 | 100 | 175 | 225 | 400 | 150 | 250 | 350 | 600 | 150 | 250 | 350 | | |
| Fremont Street EB: | Left/Thru/Right | 750 | 50 | 75 | 50 | 75 | 50 | 100 | 50 | 75 | 50 | 100 | 50 | | |
| Central Street WB: | Left/Thru/Right | 875 | 100 | 175 | 125 | 200 | 125 | 225 | 150 | 275 | 125 | 225 | 150 | | |
| | | | | | | | | | | | | | | | |
| MAIN STREET AT N | | | | | | | | | | | | | | | |
| Main Street SB: | Left/Thru/Right | 1025 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | | |
| Norwood Street EB: | Left/Thru/Right | 380 | - | 0 | - | 25 | - | 0 | - | 25 | - | 25 | - | | |
| Marble Street WB: | Left/Thru/Right | 490+ | - | 25 | - | 25 | - | 25 | - | 25 | - | 25 | - | | |
| | AT BROAD STREET | | | | | | | | | | | | | | |
| Main Street NB: | Left | 160 | 25 | 75 | 25 | 50 | 50 | 75 | 25 | 75 | 50 | 75 | 25 | | |
| | Through/Right | 600 | 75 | 150 | 75 | 175 | 100 | 175 | 75 | 225 | 100 | 175 | 75 | | |
| Main Street SB: | Left/Through | 1200 | 75 | 150 | 125 | 300 | 100 | 175 | 150 | 375 | 100 | 175 | 175 | | |
| | Right | 135 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | 25 | | |
| Broad Street EB: | Left/Thru/Right | 350 | 75 | 125 | 75 | 150 | 75 | 125 | 100 | 175 | 75 | 125 | 100 | | |
| Wendell Place WB: | Left/Thru/Right | 380 | 50 | 100 | 25 | 50 | 50 | 100 | 25 | 50 | 50 | 100 | 25 | | |
| CENTRAL STREET | AT ASHMUN STRE | ET/DALE STREET*: | | | | | | | | | | | | | |
| Ashmun Street NB: | Left/Thru/Right | 270+ | - | - | - | - | - | - | - | - | - | 25 | - | | |
| Dale Street SB: | Left/Thru/Right | 150 | - | - | - | - | - | - | - | - | - | 25 | - | | |
| Central Street EB: | Left | 430 | - | - | - | - | - | - | - | - | - | 0 | - | | |
| Central Street WB: | Left | 875 | - | - | - | - | - | - | - | - | - | 0 | - | | |
| (| ENTRAL STREET A | T MAPLE STREET | | | | | | | | | | | | | |
| Maple Street NB: | Left/Thru/Right | 1750 | 250 | 375 | 125 | 200 | 275 | 450 | 150 | 225 | 275 | 450 | 150 | | |
| Maple Street SB: | Left | 300 | 50 | 75 | 125 | 175 | 50 | 75 | 125 | 200 | 50 | 75 | 125 | | |
| | Through/Right | 1040 | 75 | 100 | 150 | 225 | 75 | 100 | 175 | 250 | 75 | 125 | 175 | | |
| Central Street EB: | Left/Thru/Right | 430+ | 100 | 150 | 125 | 200 | 100 | 175 | 125 | 225 | 100 | 175 | 150 | | |
| Central Street WB: | Left/Through | 520+ | 75 | 125 | 75 | 125 | 75 | 125 | 75 | 125 | 75 | 125 | 75 | | |
| | Right | 100 | 175 | 275 | 75 | 100 | 200 | 300 | 75 | 100 | 200 | 300 | 75 | | |
| | MARBLE STREET A | T SECC DRIVE #2*: | | | | | | | | | | | | | |
| SECC Bus Drive #2 NB: | Right | | - | - | - | - | - | - | - | - | - | 0 | - | | |
| | | | | | | | | | | | | | | | |
| SECC Drive #1 NB: | MARBLE STREET A Left/Right | I SECC DRIVE #1*: | - | | - | | | | | | | 25 | | | |
| Marble Street WB: | Leivright | | - | - | - | - | - | - | - | - | - | 25 | - | | |
| | | | | | | | | | | | | | | | |
| | MARBLE STREET A | T SECC DRIVE #2*: | | | | | | | | | | | | | |
| SECC Drive #2 NB: | Left/Right | | - | - | - | - | - | - | - | - | - | 0 | - | | |
| Marble Street WB: | Left | | - | - | - | - | - | - | - | - | - | 0 | - | | |
| | | | | | | | | | | | nalized inter | | | | |



8.0 AIR QUALITY

An air quality assessment was performed for this project by KB Environmental Sciences, The May 22, 2015, *South End Community Center Project Air Quality Report*, is provided in Appendix G.

The project is located in Hampden County, which is presently designated by the United States Environmental Protection Agency (USEPA) as a moderate nonattainment area for the 8-hour ozone and a maintenance area for CO for parts of the county, the Clean Air Act (CAA) Conformity would typically apply. The SECC, however, is being reconstructed due to damages caused by the tornado event that hit Massachusetts in 2011. As such it is exempt from the General Conformity Rule per 40 C.F.R. § 93.126. Furthermore, since the proposed roadway portion of the project involving the extension of Ashmun Street to Marble Street is not a Federal Highway Administration (FHWA)/Federal Transit Authority (FTA) project and it is not regionally significant, the requirements of the Transportation Conformity Rule is not applicable.

For disclosure and completeness purposes, an emissions inventory of the project-related motor vehicle traffic as well as an analysis of the signalized intersections within the limits of the roadway project were evaluated. The results of the emissions inventory show that if the project were not exempt, the project generated emissions are well below the conformity *de-minimis* levels. Similarly, the delay and congestion of the signalized intersections within the limits of the roadway project are minimal and would not likely cause or contribute to a potential CO exceedance of the NAAQS.



9.0 CONCLUSIONS

In conclusion, based on the findings in this study, no adverse traffic impacts associated with the proposed South End Community Center (SECC) or the Ashmun Street, Dale Street, Marble Street roadway project are anticipated.

Operational analysis was conducted for the following study intersections reviewed for the Year 2015 Existing, Year 2027 No Build, and Year 2027 Build:

- Main Street at Fremont Street and Central Street (signalized)
- Main Street at Norwood Street and Marble Street (unsignalized)
- Main Street at Broad Street and Wendell Place (signalized)
- Central Street at Ashmun Street and Dale Street (unsignalized, Build only)
- Central Street at Maple Street (signalized)
- Marble Street at SECC Bus Drive #2 (unsignalized, Build only)
- Marble Street at SECC Drive #1 (unsignalized, Build only)
- Marble Street at SECC Drive #2 (unsignalized, Build only)

Based on operational analysis, all of the study signalized intersections are projected to operate at an overall intersection LOS C or better given all of the study conditions (Existing, No Build, Build). With the exception of the Wendell Place approach during the evening peak hour, all of the individual intersection approaches operate at LOS D or better and well under capacity. All of the critical movements at the unsignalized study intersections operate at LOS C or better given all of the study conditions (Existing, No Build, Build) and well under capacity. The critical movements at the proposed access points are projected to operate at LOS A with no capacity issues. In addition, it is projected that the community center traffic will have negligible impact on vehicular queues at the study intersections.

Based on air quality assessments, the project generated emissions are well below the conformity *de-minimis* levels. Similarly, the delay and congestion of the signalized intersections within the limits of the roadway project are minimal and would not likely cause or contribute to a potential CO exceedance of the NAAQS. Since the SECC is being reconstructed due to damages caused by the tornado event that hit Massachusetts in 2011, it is exempt from the General Conformity Rule per 40 C.F.R. § 93.126. Furthermore, since the proposed roadway portion of the project involving the extension of Ashmun Street to Marble Street is not a Federal Highway Administration (FHWA)/Federal Transit Authority (FTA) project and it is not regionally significant, the requirements of the Transportation Conformity Rule are not applicable.



Springfield City Council approves design funds for new senior center, South End Community Center | mas... Page 1 of 5

Springfield City Council approves design new senior center, South End Community

blunt.photo.JPG An artist view of the proposed Springfield Senior Center to be built in Blunt Park. (File photo / Mark M. Murray)

By Peter Goonan <u>pgoonan@repub.com</u> [http://connect.massive.com/user/pgoonan/posts.html on March 23, 2015 at 9:10 PM, updated March 23, 2015 at 9:12 PM

SPRINGFIELD -- The City Council [http://topics.masslive.com/tag/springfield-city-council/index.html] for the design of three major projects in Springfield including a new community senior center [http://topics.masslive.com/tag/springfield-senior-center/index.html] planned at Blunt Park. The council authorized borrowing \$800,000 to advance the plans for the senior center, project and also appr design a new South End Community Center [http://topics.masslive.com/tag/south-end-community-ce planned at Emerson Wight Park.

Architects are hired, and the city plans to begin construction in the fall, said Peter Garvey, the city's director construction. Federal disaster funds are covering most of the project costs, he said.

The construction, once begun, is expected to take 15 months to complete for each project, Garvey said.

The South End center is relocating from the state Armory building on Howard Street that was heavily damag 2011. MGM Springfield purchased the former Armory building to become part of an \$800 million casino site.

In other action, the council approved \$650,000 for planning and design of the former Arthur MacArthur Army St., for various Police Department uses. That project is also slated to begin in the fall, Garvey said.

The city is planning to use \$25 million in federal disaster aid for the three projects, but must approve design J. Plante, the city's chief administrative and financial officer.. Most of the costs will be covered by the disaste funds were needed up front, he said.

Council President Michael Fenton cast the sole vote against the design funds for the senior center and Sout saying that while the projects have merit, he first wants a comprehensive discussion and strategic look at th capital needs and possible property tax reduction.



South End Community Center opens new office

March 14, 2012

By G. Michael Dobbs news@thereminder.com




Photo Caption: (Center) Springfield Mayor Domenic Sarno, flanked by (left to right) South End Citizen Council President Leo Florian, South End Community Center (SECC) Board President Joseph Gall, SECC Board member Skip Russo and City Councilor Melvin Edwards, announced the new location of the SECC last week. Reminder Publications photo by G. Michael Dobbs

SPRINGFIELD -City and neighborhood officials gathered across from the new site of the South End Community Center (SECC) on March 9 to note the construction of a temporary office for the organization on Morris Street.

Formerly housed in the historic armory building on Howard Street, which was partially destroy by the June 1, 2011 tornado, the administration offices will be, for the next several years, in the temporary building, according to SECC executive director Chae Swan.

Swan explained the organization is still serving the youth of the neighborhood with a variety of programs, but in different locations. The after school and recreational programs are being

conducted at the Milton Bradley School, he said, while the boxing program is at the Springfield YMCA and the summer programs will be at Central High School.

Swan said that the SECC has increased its transportation services, picking children up at bus stops and bringing them to the new locations. Parents still are responsible for picking their children up.

Looking at the site of the new center, the former Gemini factory location on Central Street, Swan said the "best case scenario" would be the new center would be built and operational in two years. The "worst case" would be three years, he added.

"Funding is not an issue." he said. "We should be able to cover our costs. As of right now, we're on target."

Part of the former home of the SECC, the city-owned armory building that was built in 1891, can be saved, Swan said. The front of the building that resembles a castle survived the storm, he said, but the "drill' area where the basketball and boxing programs took place was completely destroyed. He does not know what the city's plans are for the structure.

In speaking about the center, Mayor Domenic Sarno called it "a beacon of hope "in the neighborhood. He added the new center will have expanded programs including some for seniors Sarno acknowledged that recovery from the tornado is "a long process" and the SECC will be used "as a catalyst to build on the positives of the South End."



DISTRICT i: METROCENTER, SOUTHEN

District Meeting Presentation + Notes,

December 5th By ADMIN2 on Jan 3, 2012 • 7:19 pm

The Rebuild Springfield team presented a proposed rebuilding strategy for District 1 to residents and other members of the local community. The discussion began with the plan's overall framework and an outline of the district's key opportunity sites and buildings. The strategy's major elements were then introduced and outlined in terms of implementation focus, feasibility, and financing.

After the presentation, participants discussed the plan in small groups and completed questionnaires to determine their support for proposed elements of the rebuilding plan. To view the meeting PowerPoint presentation click here [PowerPoint Attached]. You can also view meeting participant responses here.

Your feedback is welcome! If you have ideas for specific locations, partners, or organizations to implement any of these initiatives, please contact us.



THE SPRINGFIELD REDEVELOPMENT AUTHORITY

concordia + Goody CLANCY



COMMUNITY INSTITUTIONS STRATEGY



- Benefits to locating near constituency of children and youth
- Flexible approach to meeting program goals in context of community goals
- Square One desired location on Main Street, near Caring Health
- South End Community Center desired location in proximity to Emerson Wight Park



Springfield seeks to hire architects for new senior center and South End Community Center projects

By Peter Goonan | pgpgoonan@repub.com Follow on Twitter

on July 08, 2014 at 4:40 PM, updated July 08, 2014 at 5:07 PM

SPRINGFIELD – The city has advertised for architects for two major projects – plans for a **new senior center at Blunt Park**, and a new **South End Community Center at Emerson Wight Park**.

The city recently advertised for architects for the two projects under a request for qualifications. Companies submitting their qualifications will be considered for hire for design services related to the projects.

The city has federal funding for both projects, and has set a target date of opening both centers by August of 2016.

"We are finally starting to see some light at the end of the tunnel," Mayor **Domenic J. Sarno** said. "I appreciate everyone's patience."

Architects must submit a detailed package regarding their qualifications by a July 16 deadline for the senior centerproject, and by July 23, for the South End Community Center. The packages are due by 2 p.m. on those dates, at the Office of Procurement at City Hall.

Patrick J. Sullivan, the city's director of parks, buildings and recreation management, said the city is "very excited by these opportunities for new buildings for both of the organizations."

"It will allow us to increase recreational opportunities for our seniors citywide and for the youth of the South End area of the city," Sullivan said.

Some preliminary plans and design work has occurred, but the hired architects will evaluate all programming needs for the senior center and South End Community Center, including classroom instruction, computer instruction, recreation, and space for administration, staff, volunteers, maintenance and storage, according to the request for qualifications. The community center programming study would also include arts and crafts.

The senior center has an estimated cost of between \$9 million and \$10 million.

The South End Community Center has an estimated cost of \$7 million to \$8 million.

The projects can be afforded as a result of the city receiving a final settlement of \$25 million in federal disaster aid related to city losses from the **tornado of 2011**.

The new community center at Emerson Wight Park will replace the old South End Community Center on Howard Street that was heavily damaged in the tornado. The senior center is not tied to the tornado but was permitted as an alternate project by the Federal Emergency Management Agency under its guidelines, city officials said.

Sarno said the senior center will help serve a very active senior population in Springfield. Currently, the city has its Elder Affairs office and senior center at the Good Life Center on East Columbus Avenue in the downtown, and multiple satellite centers.

"But, we feel that now -- to have a centralized location that offers many more amenities to our active senior

population -- is going to be a positive," Sarno said, of the planned new center.

Sullivan said the review committees for each project will be headed by Daniel Garvey, the city's director of capital asset construction.

Under the request for qualifications, the architects hired must have multiple community meetings to present proposals and receive public input.

The schematic design phase will include a site development plan, environmental assessment, code requirements, utility needs, floor plans, cost estimates and a project timetable among other evaluations, according to the city's summary.



Artist view of South End Community Center to be built at Emerson Wight Park in the South End of Springfield. The Republican file photo

© 2015 masslive.com. All rights reserved.



DRAFT

FINDING OF NO SIGNIFICANT IMPACT

SOUTH END COMMUNITY CENTER (SECC) SPRINGFIELD, MASSACHUSETTS FEMA-DR-1994-MA

As a result of damages sustained on June 1, 2011, when tornadoes struck portions of Western Massachusetts, including the City of Springfield, the President declared a major disaster for the Commonwealth of Massachusetts under the Robert T. Stafford Disaster Relief and Emergency Assistance Act. This major disaster declaration, referenced as FEMA-1994-DR-MA, authorizes the Federal Emergency Management Agency (FEMA) to provide Public Assistance to local governments, state agencies and eligible private non-profit organizations in Massachusetts.

The City of Springfield, Massachusetts applied to the FEMA Public Assistance (PA) program for aid as a result of damages sustained to the former Springfield Armory which housed the South End Community Center (SECC). The City determined that the public welfare would not be best served by restoring the damaged facility to restore space lost to the SECC. Instead, the City determined to fund an alternate project to build a permanent facility at Emerson Wight Park to house services provided by SECC.

The new two story facility design (appx. 26,000 square feet), adjacent structure demolitions, street extension and the outdoor amenities associated with it (e.g. parking, bus drop-off/pick-up, and outdoor basketball court) are the subject of this Environmental Assessment.

In accordance with the National Environmental Policy Act (NEPA) of 1969, the President's Council on Environmental Quality (CEQ) regulations implementing NEPA (40 CFR Parts 1500-1508) and FEMA regulations for NEPA compliance (44 CFR Part 10), FEMA prepared an Environmental Assessment (EA) to meet their responsibilities under NEPA to fully understand and consider the environmental consequences of actions proposed for federal funding. The purpose of the EA is to analyze potential environmental impacts from the proposed project, and to determine whether to prepare an Environmental Impact Statement (EIS) or a Finding of No Significant Impact (FONSI). In the EA process, three (3) alternatives were considered: the No Action Alternative, leaving the SECC to operate in temporary space; the Proposed Action Alternative, to build the new facility; and construction of a new facility at the former "Gemini" manufacturing site.

FEMA evaluated the proposed project for any potential significant adverse impacts to existing physical resources (geology & soils, air quality, climate change, and historic properties & cultural resources), natural resources (water resources, floodplains, wetlands, and threatened & endangered

species), socioeconomic resources (traffic impacts to human health & safety, and environmental justice), and cumulative impacts.

The draft EA and draft FONSI were made available for viewing online at <u>http://www3.springfield-ma.gov/cos/</u> and <u>http://www.fema.gov/resource-document-library</u>, and in person at the City of Springfield Office of Procurement located at Springfield City Hall, 36 Court Street Room 307, Springfield, MA 01103, Monday through Friday 8:15AM-4:30 PM. On Month, Day, 2015 the City of Springfield notified the public of the availability of the draft documents through publication of a notice in the local paper, NAME OF PAPER, as required. The public comment period for these documents lasted for a period of 15 days from Month, Day, 2015 until Month, Day, 2015. FEMA received no comments from the public on the content of these documents and determined that impacts created by the project could be sufficiently mitigated through compliance with proscribed construction designs, best management practices, reasonable and prudent measures, terms, and specials conditions.

CONDITIONS

The City of Springfield (the City) shall comply with all prescribed conditions set forth in the EA, including, but not limited to the following conditions. Failure to comply with these conditions may jeopardize the receipt of federal funding.

- 1. The City and/or its designees are responsible for obtaining and complying with all required local, state, and federal permits and approvals.
- 2. The City shall manage and dispose of excavated soils and waste materials in accordance with applicable local, state, and federal regulations. If hazardous/contaminated materials are discovered during construction, the work shall cease until the City can implement appropriate procedures and secure additional permits if needed.
- 3. Construction vehicles and equipment will be stored on site during the project. All construction activities will be performed using qualified personnel and in accordance with the standards specified in Occupational Safety and Health Administration (OSHA) regulations. Appropriate signage will be posted onsite and in the vicinity.
- 4. Construction will take place only during normal business hours and all equipment will meet local, state, and federal noise regulations. Idling time shall be limited onsite.
- 5. During construction of the building Best Management Practices to control the release of sediment shall be used.
- 6. In the event of the discovery of archaeological materials and/or human remains, the City and their contractor shall immediately stop all work in the vicinity of the discovery and take reasonable measures to avoid or minimize harm to the finds. The City and their contractor shall secure all human remains discoveries and restrict access to discovery sites. The City and their contractor shall follow the provisions of applicable state laws, including Massachusetts General Laws Chapter 38, section 6 (Discovery of skeletal remains likely to be Native American); Chapter 9, sections 26A (State archaeologist; duties; reservation of lands from sale; cooperation of governmental agencies) & 27C (Projects; notice; adverse effect; review); and Chapter 7, section 38A (Skeletal remains; preservation; excavation;

analysis), or any amendments or supplanting laws and regulations. Violation of state law will jeopardize FEMA funding for this project. The City will inform the Office of the Chief Medical Examiner (617 - 267-6767), the State Archaeologist (Brona Simon, 617-727-8470), the MEMA Public Assistance Supervisor (Scott Macleod, 508-820-1400) and the FEMA Deputy Regional Environmental Officer (Lydia Kachadoorian, 857-205-2860). FEMA will consult with the SHPO and Tribes, if remains are of tribal origin. Work in sensitive areas may not resume until consultation is completed and appropriate measures have been taken to ensure that the project is in compliance with the National Historic Preservation Act.

7. The City shall notify FEMA and MEMA should the scope of work change, including substantial design changes, additional ground disturbance, further vegetation removal, or other unanticipated changes to the physical environment.

FINDINGS

Based on input and consultation with agencies, identified sources documented in the EA, City officials, and in accordance with the FEMA regulations for environmental considerations and Executive Orders on Floodplains, Wetlands, and Environmental Justice, FEMA finds that the Proposed Alternative, as defined in the EA, will have no significant impact on the natural or human environment. As a result of this Finding of No Significant Impact, an EIS will not be prepared (44 CFR Part 10.8) and the proposed project with prescribed conditions may proceed. If a change in the scope of work occurs, MEMA and FEMA must be notified to evaluate if the proposed change would alter the potential impacts on the environment. Under most situations, however, the modification or addition of one or more elements of the construction plan will not alter the findings of this EA.

APPROVED:

Lydia Kachadoorian Deputy Regional Environmental Officer FEMA Region I, Mitigation Division Environmental & Historic Preservation Office (EHP) 99 High St., 6th Floor, Boston, MA 02110

Date